




Folding arm awning



Economy

Just
enjoy life!

Lewens
MARKISEN





*Economy Open type
and Micro 1060 Z vertical awnings.*


Economy – purist and patently good

Folding arm awning for patios and balconies



Functional and reliable
– the front profile brackets

Shapely yet robust
– the arm brackets



Well designed

- Width 1 unit max. 600 cm, drop max. 300 cm
- Supplied as standard with classic valance
- Crank operation
- Options:
Electric motor, radio motor/radio remote control, automatic weather sensor, LED lighting, radiant heater, support legs

Open type

On the basic Economy type, the awning fabric roller is exposed ("open").

Round end caps at the sides create a harmonious impression.



Rain Cover type

The protective cover protects the awning against the effects of the weather when it is retracted.


Quality and youthful design at a budget price:

The Economy awning is the perfect solution for anyone looking for a high-quality, well-designed sunshade. The folding arm awning offers a convincing combination of top Lewens quality, proven back bar technology, easy operation and a host of optional features.



LED lighting

Equipped with a radio receiver for io technology, suitable mood lighting for any situation can be created by remote control or via the home automation system.



Options

Want extra features for added convenience?

Then you can equip your awning with an electric motor and wall switch along with other comfort options. With an optional radio motor and radio remote control in io technology, the awning and other functions can also be integrated into a home automation system.




Radio controllers in io technology

create the prerequisites for integrating all patio functions into the home automation system (TaHoma, Connexoon), with convenient operation via tablet or smartphone.



Automatic weather sensor

Sun and wind monitors and wind sensors to io standard ensure automatic, weather-dependent control of awnings – even when there's no one at home.




Infrared radiant heaters

to io standard create a cosy atmosphere and pleasant warmth under awnings and glass roofs, even on chilly days.

Economy

Equipment and technical features



Manufactured and assembled in Germany



TÜV-tested safety



Quality and technology CE-compliant

Type	Open	Rain Cover
Back bar awning – standard dimensions, retracted (H x D)	approx. 182 x 197 mm	approx. 245 x 248 mm
Unit widths (max.)		
1 unit (single panel)	600 cm	600 cm
Overall width	= unit width	= unit width + 7 cm
Supporting shell (in the centre of the awning)	from 551 cm	from 551 cm
Drops		
Arm lengths 150 / 200 / 250 / 300 cm	■	■
Special arm lengths	□	□
Drive		
Crank drive	■	■
Electric motor (for wall switch)	□	□
Radio motor (io or RTS)	□	□
Frame colours		
White RAL 9016	■	■
Natural silver (E6/EV 1 anodized, small components RAL 9006)	■	■
Additional RAL, special colours and effect finishes	□	□
Awning fabrics from the LEWENS collection		
Branded acrylic (spun-dyed, ultra fade resistant)	■	■
Branded polyester (spun-dyed, ultra fade resistant)	□	□
Tenara quality sewing yarn	■	■
Ultrasonic seam welding	□	□
Valance		
with valance	■	■
Options		
1 Electric motor	□	□
2 Radio motor + radio remote control (io or RTS)	□	□
3 Automatic weather sensor (sun, wind, rain)	□	□
4 Lighting: LED spot bar	□	□
5 Radiant heater (with 4 only wall attachment)	□	□
6 Support legs	□	□
Attachment		
Wall	■	■
Ceiling/rafters	□	–

■ Standard □ Option – not available

Possible dimensions and restrictions along with the complete range of electronic accessories can be found in the technical data in the current Lewens price list.

Your stockist will be happy to advise you:



www.lewens-markisen.de

Subject to technical alterations. Date: 04/2020